Work Order ID 59708  Wednesday, June 09, 2010 3:11:37 PM												Page	
Revision ID:	D3910-1 Crosstube Lug			Accept			_	Start Stop					
Start Date: ( Required Date: (	5/10/2010	72010 Start Qty: 6.00 72010 Req'd Qty: 6.00	r 1001(0 0/6) (0 0)		Cust Item ID: Customer:					стор			
		1: MF		Tooling: SPC (Y/N):	Date:			Į		Start Stop			
equence ID/ Vork Center ID		Operation Description		Set Up/ Run Hours	Tool ID	Tool#	Plan Code	Accept Qty	Reje Qty		Reject Number	Insp. Stamp	
Draw Nbr	Revis	sion Nbr						<u> </u>	Qij	1,		Stamp	
D3910 90 Powdercoat owder Coating	В	<b>Memo</b> PULL FRO	1) per QSI005 4.3-Alum PM STK D3910-1 X 6 B 57194	0.00 0.00 — 7	Al 10/06/ TANT: 2:00p	15 ' 41		X6 x6		)			
00 C uality Control		TOUCH-U  QC3- Inspect Part Finisl  Memo	POR REPOWDER COAT IF  M((484)	NECESSARY ( 0.00	TANT: 2:00 pc evg: 320°( F/ 11 > 2:70 pc	iolo	oelus				10-	6-15	

Packaging

Packaging

0.00

Memo

0.00

ID AND STOCK UNDER NEW BATCH NUMBER

10-6-15 (64)

## Work Order ID 59708

Wednesday, June 09, 2010 3:11:37 PM



Page 2

Item ID:

D3910-1

Accept

Setup Start

Stop

Stop



**Revision ID:** Item Name:

Crosstube Lug

**Start Date:** 6/10/2010

Start Qty: 6.00

**Required Date: 6/11/2010** 

Req'd Qty: 6.00



Date:

Cust Item ID:

**Customer:** 

Reference:

Approvals:

Process Plan:

Date: \_\_\_\_

Tooling:

SPC (Y/N):

Set Up/

**Run Hours** 

Date:

Date:

Run Start

Sequence ID/

Work Center ID

220

Quality Control

Memo

QC21- Final Inspection - Work Order Release

0.00

Tool ID

Tool # Plan

Code

Accept Qty

Reject Qty

Reject Insp. Number Stamp

Operation


Description

0.00

10/06/167 Mt (0-6-1:

D3910-1

**D3910-1 X-TUBE LUG** 



**D3910-3 X-TUBE LUG** 

Ø0.257 HOLES: 4 PL WAS 2 PL (A3-2) & (A3-3); R0.34 FILLET WAS R0.50 (A3-2) & (A3-3). REASON: SEE TR-D350-607-2 10.03.16 Α NEW ISSUE 10.03.04 REV. DESCRIPTION DATE **DESIGN** AJS

DART AEROSPACE LTD DRAWN HAWKESBURY, ONTARIO, CANADA DRAWING NO. **CHECKED** REV. B D3910 MFG. APPR. SHEET 1 OF 3 TITLE **APPROVED** SCALE X-TUBE LUG (350) DE APPR. NTS COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD. DATE 10.03.16

NOTES:
1) MATERIAL: MAKE FROM D2423 EXTRUSION
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: ENGRAVE PART NUMBER TO A DEPTH OF 0.010 ± 0.005 IN THIS LOCATION WITH A TOOL TIP RADIUS OF  $0.015 \pm 0.005$ 

7) WEIGHT -1: 0.32 lbs -3: 0.25 lbs

2

